

2019 CATALOG



TIGRESSOUTRIGGERS.COM



MISSION

Since our inception 26 years ago, our mission has been to raise the bar for innovation, quality, ease of use, and convenience on the products we offer to the salt water sport fishing enthusiast.

All aluminum outriggers are constructed of cold drawn aluminum for maximum strength and durability. We then use a state of the art anodizing process to protect and color-enhance them. Every accessory is constructed of the highest quality materials to give the maximum service and life. Tigress uses only 300 series stainless or 316 Stainless Steel in every rod holder and outrigger holder.

We continue to expand our offerings of fine products and accessories making the Tigress product line of outriggers and gear the standard of quality and excellence.

CONTENTS

MOUNTS	3
OUTRIGGERS	7
OUTRIGGING KITS	11
OUTRIGGING ACCESSORIES	12
ROD HOLDERS	14
ROD HOLDER ACCESSORIES	18
KITE ROD HOLDERS & CLUSTERS	20
KITES	23
KITE ACCESSORIES	24
MARINE HARDWARE	27
PIPE SIZE CHART	29



MOUNTS





XD TOP MOUNT NEW

PART 88850

- For use on sport fishing boats up to 40 feet
- Unique invertible Tigress handle design for use on both soft and hard tops over 2" thick
- Accepts all Tigress XD 1-1/2" butt diameter outriggers and XD 1-1/8" butts using adapter
- Fits Tigress and other industry standard 4" x 6" mounting plates (four 5/16" diameter fasteners)
- Extreme-duty 316 Stainless Steel and anodized aluminum and sealed construction with UV protection
- 24 adjustable/locking system positions (15° increments)featuring Tigress XD 316 Stainless Steel design
- 19 upper-arm angle/locking positions (10° increments) using
- 3-Year Limited Warranty

- Tigress XD 316 Stainless Steel detent design with ambidextrous horizontal stops • Large 3-lobe UV ergonomic knob with
- outrigger elevation
- Ergonomic 316 Stainless Steel mirror-polished lever design with inverting ability for extra hand clearance on the thickest tops.
- - outriggers
- and hard top holes • Sold as pair

XD CENTER RIGGER TOP MOUNT NEW

PART 88860

- For use on sport fishing boats up to 40 feet
- Accepts all Tigress XD 1-1/8" butt diameter center riggers
- 19 upper-arm angle/locking (@10 deg.) using Tigress XD 316 Stainless Steel tooth locking design with horizontal stops
- Large 'XD' Aluminum 12mm thick baseplate with four corner mounting
- Extreme-duty 316 Stainless Steel and anodized aluminum construction
- Ambidextrous mounting option to accommodate the side the tri-lobe knob is positioned on

- for changing and locking the outriggers' elevation
- 3-Year Limited Warranty

- integral detent feature when changing
- User friendly underside lever actuation, with 8 optional indexable set-up positions
- Standard ¼" diameter locking stainless steel push-in-pin for
- Fits through all standard 3" diameter mounting plates

• ¼" through x 4.050" x 2.625" 4-bolt pattern • Standard ¼" diameter stainless steel locking push-in-pin for outriggers • Large 3-lobe UV ergonomic knob

TIGERSHARK

PART

• The first electronically operated top mount outrigger holder offered in the market

88800

- Meticulous engineering provides exact electronic deployment of your outriggers from your console
- The powerful 12V motor drive allows for the total deployment and/or adjustment by simply pressing the switch up for deployment or pressing the switch down for retrieval of your outriggers
- Fits all prepared T-Tops with 3" mounting hole



- Mounting plate size: 4" W x 6" L
- Includes 12' of wire from each holder • Units are supplied with a standard dual
- rocker switch panel • When activated simultaneously, it raises and deploys your outriggers to the fishing position
- Convenience, craftsmanship, quality and performance makes the TigerShark a top selection for the sports-fisherman



TIGERSHARK III



• Features a bottom mounted crank

- assembly for ease of deployment • Simultaneous up and out motion
- eliminates climbing the gunnels to adjust your outriggers

88805

• Allows for the lowest profile under your T-Top or Hard Top of any top mount outrigger holder in the industry



DESIGNED FOR HARD TOPS AND SOFT TOPS • Simply push up on the handle to release

1-1/2" MANUAL TOP MOUNT

- the gears and turn 14 to 17 times to complete deployment of your outrigger then simply pull handle down to lock into place • Fits all prepared T-Tops with 3" mounting
- hole and fits Hard Tops up to 2-1/2" thick



MANUALLY ADJUSTABLE ANTENNA/ **RUNNING LIGHT MOUNT**

PART

- Features a bottom mounted crank assembly for ease of deployment fore and aft
- Simply push up on the handle to release the gears and turn 12 times to complete deployment of your antenna/running light mount- then simply pull handle down to lock into place

88810

- Adjustable up or down motion eliminates climbing the gunnel to adjust your antenna/running light mount
- Fits all prepared T-Tops with 3" mounting hole and fits Hard Tops up to 2-1/2" thick









T-TOP ADJUSTABLE CLAMP-ON

Simply drill 1/4" hole into the IPS schedule pipe of your T-Top and clamp on.

PATENT #7,296,377

PART	CLAMP	HOLDER
88965	1-5/16″	1-1/8"
88966	1-11/16″	1-1/2"
88967	1-15/16″	1-1/2"

ROD HOLDER/ OUTRIGGER HOLDER

- Put absolutely no more holes in your T-Top or the gunnel of your boat
- Simply place into your existing heavy duty cast stainless rod holder when outriggers are needed
- When outriggers are not in use, simply remove holders and your existing cast rod holder is usable again

PATENT #7,296,377

PART	BASE	TUBE	HOLDER
88968	1-5/8″	16″	1-1/8″
88969	1-5/8″	16″	1-1/2″

CENTER RIGGER HOLDER

- Clamp-on center rigger holder
- 1-5/16" IPS pipe clamp with 1-1/8" holder

GUNNEL MOUNT	SIZE	MATERIAL
88500	1-1/8" ID	FABRICATED 304
88502	1-1/8" ID	CAST 316
88506	1-1/2" ID	CAST 316
SIDE MOUNT	SIZE	MATERIAL
88504	1-1/8" ID	FABRICATED 304
88505	1-1/8" ID	CAST 316
88508	1-1/2" ID	CAST 316
REPLACEMENT TUBE	SIZE	MATERIAL
88501	1-1/8" ID	CAST BASE
88503	1-1/8" ID	CUT BASE





88507

BACKING PLATES

- Gunnel mount and side mount backing plates
- Made of heavy gauge stainless steel
- Sized for cast outrigger holders only





PLEASE USE WITH PART # AS FOLLOWS:

GUNNEL MOUNT	SIDE MOUNT
88502-1 with 88502	88505-1 with 88505
88506-1 with 88506	88508-1 with 88508

PART 88932 OOMP-20 OOMP-30







WISHBONE HOLDERS

LARGE SIDE MOUNT OUTRIGGER HOLDERS

- Constructed of heavy cast 316 Stainless Steel with 18" polished stainless steel tube
- For extrusions



PART	OD	ID
88510	2″	1-7/8″
88511	1-5/8″	1-1/2″

OUTRIGGER HOLDERS AND REPLACEMENT TUBES



T-TOP ALUMINUM WELD-ON EXTRUSIONS

1-1/2" ID

• All backing & mounting plates are pre-drilled for installation

• All mounting holes are 3"



CAST BASE





TOP MOUNT WEDGES

TUBES

Angular adjusting wedges to straighten the top mount in installation allow for less stress on the top and smoother deployment of your outriggers.



PART	DEGREE	
88934	7°	
88936	9°	
88938	11°	

TIGRESSOUTRIGGERS.COM | 5

OUTRIGGERS



XD TELESCOPING ALUMINUM OUTRIGGERS

and storage

• Sold as pair

- For use on sport fishing boats up to 40 ft.
- Patented Tigress Track[®] Internal Tracking System, now with dual-tracks for increased tube strength and guiding alignment
- Larger tube diameters and wall thicknesses for increased strength and durability
- Anodized cold draw tubes inside and out for maximum protection from corrosion
- Double-locking and polished 316 Stainless Steel push-buttons on the lower tube sections for less 'hole wallowing'
- Includes a handy, heavy duty mesh storage bag
- Redesigned rings and tips

Patent #7,025,015 B2

PART	LENGTH	BASE OD	COLOR
88923	15'	1-1/8"	SILVER
88923-1	15'	1-1/8"	BLACK
88924	15'	1-1/2"	SILVER
88924-1	15'	1-1/2"	BLACK
88925	18'	1-1/2"	SILVER
88925-1	18'	1-1/2"	BLACK

XD 3K CARBON FIBER TELESCOPING OUTRIGGERS NEW

- For use on sport fishing boats up to 40 feet
- Patented Tigress Track[®] Internal Tracking System
- 3K carbon fiber woven finish
- Retracts to under 6' for trailering, bridges and storage
- 316 Stainless Steel polished eyelets
- Redesigned rings and tips
- Lightest telescoping outrigger in the industry
- UVI thermoplastic butt sleeves to fit all Tigress top mounts
- Includes a handy, heavy duty mesh storage bag
- 1-Year Limited Warranty
- Sold as pair

Patent #7,025,015 B2

PART	LENGTH	BASE OD	COLO
88679	18'	1-1/2"	MATTE BLACK
88679-1	18'	1-1/2"	MATTE BLACH



• 316 Stainless Steel polished eyelets

- UVI marine grade thermoplastic internal bushings for trouble free sliding operation
- Double ¼" cross-holes in the butt ends in much thicker wall in anodized aluminum for the push-in-pin
- UVI thermoplastic butt sleeves to fit all 1-1/2" top and center rigger mounts
- Retracts to under 6' for trailering, bridges

• 3-Year Limited Warranty









XD TELESCOPING ALUMINUM CENTER OUTRIGGERS

smooth through centers

the push-in-pin

and storage

storage bag

center rigger mounts

• 3-Year Limited Warranty

• UVI marine grade thermoplastic internal

• Double ¼" cross-holes in the butt ends in

bushings for trouble free sliding operation

much thicker wall in anodized aluminum for

• UVI thermoplastic butt sleeves to fit all top and

• Retracts to under 5' 5" for trailering, bridges

• Includes a handy, heavy duty mesh

- For use on sport fishing boats up to 40 ft. 316 Stainless Steel polished eyelets with
- 1-1/8" butt OD
- Patented Tigress Track[®] Internal Tracking System, now with dual-tracks for increased tube strength and guiding alignment
- Larger tube diameters and wall thicknesses for increased strength and durability
- Anodized cold draw tubes inside and out for maximum protection from corrosion
- Redesigned rings and tips
- Double-locking and polished 316 Stainless Steel push-buttons on the lower tube sections for less 'hole wallowing'
- Patent #7,025,015 B2

PART	LENGTH	BASE OD	COLOR
88921	8'	1-1/8"	SILVER
88921-1	8'	1-1/8"	BLACK
88922	12'	1-1/8"	SILVER
88922-1	12'	1-1/8"	BLACK

TELESCOPING FIBERGLASS OUTRIGGER

- An economical alternative to aluminum outriggers for 18' to 28' boats
- 15' telescoping, three-section, heavy duty fiberglass outriggers feature heavy line guides for easy rigging
- Includes a vinyl bag for storage
- Retracts to less than 6'

PART	LENGTH	BASE OD	COLOR
88200	15'	1-1/8"	WHITE/BLUE

FIXED ALUMINUM OUTRIGGER

- Constructed of heavy duty anodized aluminum with nylon guide assembly and stainless steel line guides
- Four section, screw together assembly with black anodized aluminum tip

PART	LENGTH	BASE OD	COLOR
88220	15'	1-1/8"	SILVER/BLACK





PARTMOUNTOUTRIGGERRIGGING KIT88824XD TOP MOUNT15' SILVER XDELITE88824.1XD TOP MOUNT15' BLACK XDELITE88825XD TOP MOUNT18' SILVER XDULTIMATE88825.1XD TOP MOUNT18' BLACK XDULTIMATE88679.00XD TOP MOUNT18' CARBON FIBER B/B XDULTIMATE88679.01XD TOP MOUNT18' CARBON FIBER B/S XDULTIMATE	XD Top MouXD Tigress 1Premium rig	int Track® telescoping o		NEW		
88824-1XD TOP MOUNT15' BLACK XDELITE88825XD TOP MOUNT18' SILVER XDULTIMATE88825-1XD TOP MOUNT18' BLACK XDULTIMATE88679-00XD TOP MOUNT18' CARBON FIBER B/B XDULTIMATE	PART	MOUNT	OUTRIGGER	RIGGING KIT	111	
88825XD TOP MOUNT18' SILVER XDULTIMATE88825-1XD TOP MOUNT18' BLACK XDULTIMATE88679-00XD TOP MOUNT18' CARBON FIBER B/B XDULTIMATE	88824	XD TOP MOUNT	15' SILVER XD	ELITE		
88825-1 XD TOP MOUNT 18' BLACK XD ULTIMATE 88679-00 XD TOP MOUNT 18' CARBON FIBER B/B XD ULTIMATE	88824-1	XD TOP MOUNT	15' BLACK XD	ELITE		0
88679-00 XD TOP MOUNT 18' CARBON FIBER B/B XD ULTIMATE	88825	XD TOP MOUNT	18' SILVER XD	ULTIMATE		
	88825-1	XD TOP MOUNT	18' BLACK XD	ULTIMATE		
88679-01 XD TOP MOUNT 18' CARBON FIBER B/S XD ULTIMATE	88679-00	XD TOP MOUNT	18' CARBON FIBER B/B XD	ULTIMATE		
	88679-01	XD TOP MOUNT	18' CARBON FIBER B/S XD	ULTIMATE		

XD CENTER RIGGER SYSTEM NEW

- XD Center Rigger Mount
- XD Tigress Track[®] telescoping center riggers
- Center rigger rigging kit

PART	MOUNT	OUTRIGGER	RIGGING KIT
88621	XD CENTER	8' SILVER XD	CENTER
88621-1	XD CENTER	8' BLACK XD	CENTER
88622	XD CENTER	12' SILVER XD	CENTER
88622-1	XD CENTER	12' BLACK XD	CENTER

CENTER RIGGER CLAMP-ON SYSTEM

- Clamp-on center rigger holder 1-1/8" OD base
- Tigress Track[®] telescoping center rigger
- Holder sized to fit 1-5/16" schedule pipe
- Center rigger rigging kit

PA	RT	MOUNT	CLAMP	OUTRIGGER	RIGGING KIT
881	21	1-1/8" CLAMP ON	1-5/16″	8' SILVER XD	CENTER
8812	1-1	1-1/8" CLAMP ON	1-5/16″	8' BLACK XD	CENTER











T-TOP CLAMP-ON TELESCOPING SYSTEM PUT ABSOLUTELY NO MORE HOLES IN THE GUNNEL OF YOUR BOAT

- Tigress Track[®] telescoping outriggers
- Black mesh carry bag for storage F
- T-Top clamp-onsPremium deluxe rigging kit

PART	MOUNT	CLAMP	OUTRIGGER	RIGGING KIT
89623	1-1/8" CLAMP ON	1-5/16″	15' SILVER XD	DELUXE
89623-1	1-1/8" CLAMP ON	1-5/16″	15' BLACK XD	DELUXE
89624	1-1/2" CLAMP ON	1-11/16″	15' SILVER XD	DELUXE
89624-1	1-1/2" CLAMP ON	1-11/16″	15' BLACK XD	DELUXE

ROD HOLDER/OUTRIGGER TELESCOPING SYSTEM

IDEAL FOR BAY BOATS OR SMALL CENTER CONSOLES

- Tigress Track[®] telescoping outriggers
- Black mesh carry bag for storage
- Rod holder/outrigger holdersPremium deluxe rigging kit

PART	MOUNT	OUTRIGGER	RIGGING KIT
88823	1-1/8″	15' SILVER XD	DELUXE
88823-1	1-1/8″	15' BLACK XD	DELUXE
89924	1-1/2″	15' SILVER XD	DELUXE
89924-1	1-1/2″	15' BLACK XD	DELUXE



ROD HOLDER/OUTRIGGER TELESCOPING SYSTEM

ECONOMY VERSION OF A TELESCOPING OUTRIGGER SYSTEM

- Economy rigging kit
- 1-1/8" fabricated flush mount outrigger holders
- 1-1/8" fiberglass poles

PART	LENGTH	COLOR	MOUNT
88200-1	15′	WHITE/BLUE	88500

OUTRIGGER LINE HOLDER

PART 88691

- Fits both 1-1/8" and 1-1/2" Outrigger Poles
- Keeps outrigger lines organized while poles are collapsed
- Easy clamp on installation
- Sold as 2 Pairs

TIGRESS

OUTRIGGER ACCESSORIES

Stabilize your outriggers in resting position by simply inserting into your existing weld-on rod holder and clipping to your outrigger.

PART	DESCRIPTION
88677	OUTRIGGER STANDOFF
88685	OUTRIGGER CARRY BAG (FITS 15' & 18')

OUTRIGGER HOLDER REDUCERS DOWNSIZE YOUR OUTRIGGER HOLDERS.

PART	OD	ID
88680	REDUCE FROM 1-1/2"	1-1/8″
88680-1	REDUCE FROM 1-7/8"	1-1/2″
88681	REDUCE FROM 1-5/8"	1-1/2″



OUTRIGGING KITS

ECONOMY

AFFORDABLE KIT DESIGNED FOR SMALL BOAT RIGGERS UP TO 15'

- Pair of high impact release clips
- Pair of 1-1/4" cork stops
- Pair of glass ring snubbers
- Pair of eye straps with screws

PART	DESCRIPTION
88600	100' OF WHITE NYLON BRAID
88600-1	100' OF BLACK NYLON BRAID

DELUXE PRO

THE PRO'S CHOICE

- Pair of high impact release clips
- Pair of 1-1/4" cork stops
- Pair of stainless ring snubbers
- Pair of eye straps with screws
- 4 leader snaps

PART	DESCRIPTION
88602-1	100' OF BLACK NYLON BRAID
88602-2	100' OF 400 LB. BLACK MONO & 8 CRIMPS

ULTIMATE

FOR DOUBLE RIGGING YOUR OUTRIGGERS FOR RIGGERS UP TO 22'

- 2 pairs of EZ release clips
- 2 pairs of 1-3/4" cork stops
- Pair of double swivel snubbers
- Pair of eye straps with screws
- 8 leader snaps

PART	DESCRIPTION
88605	200' OF BLACK NYLON BRAID
88605-1	200' OF 400 LB. BLACK MONO & 12 CRIMPS

CENTER RIGGER KIT







All kits feature top quality materials and are ready to be installed. Each kit includes clips, mounting hardware, cord, snubbers, glass rings or snaps and pulleys.

DELUXE	
TOP QUALITY KIT	

- Pair of high impact release clips
- Pair of 1-1/4" cork stops
- Pair of glass ring snubbers
- Pair of eye straps with screws
- 4 leader snaps



PART	DESCRIPTION
88601	100' OF BLACK NYLON BRAID
88602	100' OF 400 LB. BLACK MONO & 4 CRIMPS
88602	100' OF 400 LB. BLACK MONO & 4 CRIMPS

ELITE

TOP QUALITY KIT

- Pair of EZ release clips
- Pair of 1-3/4" cork stops
- Pair of single swivel snubbers
- Pair of eye straps with screws
- 4 leader snaps



PART	DESCRIPTION
88603	100' OF BLACK NYLON BRAID
88603-1	100' OF 400 LB. BLACK MONO & 4 CRIMPS

TRIPLE

FOR TRIPLE RIGGING YOUR OUTRIGGERS FOR RIGGERS UP TO 35'

- 3 pairs of EZ release clips
- 3 pairs of 1-3/4" cork stops
- Pair of triple swivel snubbers
- Pair of eye straps with screws
- 12 leader snaps

1
)
Д

PART	DESCRIPTION
88606	300' OF BLACK NYLON BRAID
88606-1	300' OF 400 LB. BLACK MONO & 8 CRIMPS


COMPLETE TAG LINE KIT

• Hi-polished 316 Stainless Steel tag line weight with 1/4" rubber bumper to protect your boat

- 35' of 400 lb. black mono
- Cork stops
- 316 Stainless Steel snaps
- (2) #64 rubber bands

PART	DESCRIPTION
88642	TAG LINE WEIGHT
88644	TAG LINE KIT

OUTRIGGING ACCESSORIES



SNUBBERS

TYPE	PART	DESCRIPTION
А	88620	12" ECONOMY SNUBBER
В	88624	16" DELUXE SNUBBER
В	88624-1	6" DELUXE SNUBBER
С	88624-2	6" DELUXE SNUBBER W/PLASTIC SNAP
С	88624-3	12" DELUXE SNUBBER W/PLASTIC SNAP
С	88624-4	18" DELUXE SNUBBER W/PLASTIC SNAP
D	88624-5	6" DELUXE SNUBBER W/BALL BEARING COASTLOCK SWIVEL
D	88624-6	12" DELUXE SNUBBER W/BALL BEARING COASTLOCK SWIVEL
D	88624-7	18" DELUXE SNUBBER W/BALL BEARING COASTLOCK SWIVEL
Е	88628	16" DELUXE PRO SNUBBER
F	88632	16" ELITE SNUBBER
F	88632-1	6" ELITE SNUBBER
G	88632-2	12" ELITE SNUBBER W/PLASTIC SNAP
G	88632-3	18" ELITE SNUBBER W/PLASTIC SNAP
G	88632-4	6" ELITE SNUBBER W/PLASTIC SNAP
н	88632-5	6" ELITE SNUBBER W/BALL BEARING COASTLOCK SWIVEL
н	88632-6	12" ELITE SNUBBER W/BALL BEARING COASTLOCK SWIVEL
н	88632-7	18" ELITE SNUBBER W/BALL BEARING COASTLOCK SWIVEL
Ι	88634	16" ELITE PRO SNUBBER W/STAINLESS SNAP
J	88635	6" ELITE SNUBBER W/BALL BEARING COASTLOCK SWIVEL
J	88635-1	12" ELITE SNUBBER W/BALL BEARING COASTLOCK SWIVEL
J	88635-2	18" ELITE SNUBBER W/BALL BEARING COASTLOCK SWIVEL
К	88636	12" ELITE SNUBBER W/PLASTIC SNAP
К	88636-1	18" ELITE SNUBBER W/PLASTIC SNAP
L	88636-2	6" ULTIMATE SNUBBER W/PLASTIC SNAP
L	88636-3	12" ULTIMATE SNUBBER W/PLASTIC SNAP
L	88636-4	18" ULTIMATE SNUBBER W/PLASTIC SNAP
М	88636-5	6" ULTIMATE SNUBBER W/BALL BEARING COASTLOCK SWIVEL
М	88636-6	12" ULTIMATE SNUBBER W/BALL BEARING COASTLOCK SWIVEL
М	88636-7	18" ULTIMATE SNUBBER W/BALL BEARING COASTLOCK SWIVEL
N	88638	16" ULTIMATE PRO SNUBBER W/BALL BEARING COASTLOCK SWIVEL
0	88639	18" TRIPLE SNUBBER W/STAINLESS SNAP

A set	······································
C C C C C C C C C C C C C C C C C C C	
6	
G	
\sim	
K	
M	N
°	

ACCESSORIES

YPE	PART	DESCRIPTION
А	88630	SINGLE STAINLESS SWIVEL
В	88640	DOUBLE STAINLESS SWIVEL
С	88641	TRIPLE STAINLESS SWIVEL
D	88650	PAIR OF GLASS OUTRIGGER RINGS
Е	88652	PAIR OF 1-1/4" CORK STOPS
F	88654	PAIR OF 1-3/4" CORK STOPS
G	88656	PAIR OF OUTRIGGER RELEASE CLIPS
Н	88657	DOWN RIGGER RELEASE CLIP
Т	88659	FLAT LINE RELEASE CLIP
J	88660	PAIR OF STAINLESS STEEL RINGS
К	88664	PAIR OF 316 STAINLESS SNAPS
L	88666	PAIR OF NICKEL PLATED SNAPS
М	88667	PAIR OF STAINLESS PAD EYES W/STAINLESS SCREWS
Ν	88668	ANTENNA FLAG CLIP
0	88669	HALYARD FLAG CLIP
Р	88670	100' OF 400 LB. TEST BLACK MONO (DIA. 2.2 MM)
Q	88671	100' OF 300 LB. BLACK NYLON BRAID
Q	88672	100' OF 375 LB. WHITE NYLON BRAID
R	88678	PLANER RELEASE ASSEMBLY
S	88690	PAIR OF 1-1/4" BLACK PLASTIC STOPS
Т	88695	EZ OUTRIGGER RELEASE CLIPS (BLACK)
U	88697	PORTABLE RELEASE CLIP
V	88642	TAG LINE WEIGHT
,	88642	TAG LINE WEIGHT
		S



OVAL HEAD GUNNEL ROD HOLDERS

MEDIUM AND LARGE OVAL GUNNEL ROD HOLDERS

PART	LENGTH	ANGLE	ID
88525	9"	30° HEAD	1-5/8"
88527	9"	0° HEAD	1-5/8"
88529	9"	15° HEAD	1-5/8"
	BACKING PLATE: 88525-1		
PART	LENGTH	ANGLE	ID

PARI	LENGTH	ANGLE	שו	ω
88530	10-1/2"	30° HEAD	1-7/8"	.85" HEA
88532	10-1/2"	0° HEAD	1-7/8"	σ×
88534	10-1/2"	15° HEAD	1-7/8"	4.88" SIZE
	BACK	ING PLATE: 88	530-1	

SWIVEL ROD HOLDERS

MEDIUM AND LARGE OVAL GUNNEL ROD HOLDERS

PART	LENGTH	ANGLE	ID
88520	10-1/2"	30° HEAD	1-7/8"
88522	10-1/2"	0° HEAD	1-7/8"
88524	10-1/2"	15° HEAD	1-7/8"
	BACKING PLATE: 88530-1		

PART	LENGTH	ANGLE	ID		
88520XL	12-1/2"	30° HEAD	1-7/8"		
88522SM	10-1/2"	0° HEAD	1-7/8"	ANG	
88522XL	12-1/2"	0° HEAD	1-7/8"		
88524XL	12-1/2"	15° HEAD	1-7/8"	.75" NR H	
88524SM	10-1/2"	15° HEAD	1-7/8"	SW EAL	
	BACKING PLATE: 88530-3				

ROUND HEAD CLOSED BASE

HEAVY DUTY WITH DRAIN HOLE TO ACCEPT 1/4" NPT PIPE TO HOSE FITTING

4

PART	LENGTH	ANGLE	ID	
77900	9"	30° HEAD	1-5/8"	į
77901	9"	15° HEAD	1-5/8"	i
77902	9"	0° HEAD	1-5/8"	İ
	BACKING PLATE: 77900-2 or 88525-1			

PART	LENGTH	ANGLE	ID
77906	10-1/2"	30° HEAD	1-7/8"
77907	10-1/2"	15° HEAD	1-7/8"
77908	10-1/2"	0° HEAD	1-7/8"













ROUND HEAD

CLOSED BASE



BLIND MOUNT ROUND HEAD CLOSED BASE

- Eliminate fastening from the top of flange and enhance the look of your gunnel
- With drain hole to accept 1/4" NPT pipe to hose fitting

PATENT #8,291,636

PART	LENGTH	ANGLE	ID
77900-1	9"	30° HEAD	1-5/8"
77901-1	9"	15° HEAD	1-5/8"
77902-1	9"	0° HEAD	1-5/8"
	BACKING PLATE: 77900-2 or 88525-1		

BLIND MOUNT ROUND HEAD SWIVEL BASE

- Eliminate fastening from the top of flange and enhance the look of your gunnel
- Swivel base is designed to be used primarily with bent butt tackle

PATENT PENDING

PART	LENGTH	ANGLE	ID
77903	9"	30° HEAD	1-5/8"
77904	9"	15° HEAD	1-5/8"
77905	9"	0° HEAD	1-5/8"
	BACKING PLATE: 77900-2 or 88525-1		

OVAL HEAD CLOSED BASE

Heavy duty oval head closed end base, with drain hole to accept 1/4" NPT pipe to hose fitting.

PATENT # 8,291,636

PART	LENGTH	ANGLE	ID
88535	9"	30° HEAD	1-5/8"
88537	9"	0° HEAD	1-5/8"
88539	9"	15° HEAD	1-5/8"
	BACKING PLATE: 88525-1		

BLIND MOUNT OVAL HEAD CLOSED BASE

- Heavy duty with drain hole to accept 1/4" NPT pipe to hose fitting
- Eliminate fastening from the top of flange

PATENT # 8,291,636

Г	PART LENGTH	ANGLE	ID	
-1	88535-1 9"	30° HEAD	1-5/8"	
-1	88537-1 9"	0° HEAD	1-5/8"	
-1	88539-1 9"	15° HEAD	1-5/8"	
	BACK	BACKING PLATE: 88525-1		

ROUND HEAD









ROUND HEAD

SWIVEL BASE



OVAL HEAD CLOSED BASE

OVAL HEAD CLOSED BASE

ECONOMY ROD HOLDERS

PART	SIZE	DESCRIPTION
77177	9″ x 1-5/8″ ID	REMOVABLE HOLDER W/BRACKET
77178	4" x 3.61"	REPLACEMENT MOUNTING BRACKET
77179	9″ x 1-5/8″ ID	SIDE MOUNT

PART	ANGLE	SIZE	DESCRIPTION	
77270	0°	9″ x 1-5/8″ ID	ECONOMY ROD HOLDER 0°	z
77271	15°	9″ x 1-5/8″ ID	ECONOMY ROD HOLDER 15°	
77273	30°	9″ x 1-5/8″ ID	ECONOMY ROD HOLDER 30°	<

Ę.	77179	· · · ·	178
Ħ			77177
M	77270 77271 7	7273	MATE WITH 77271-01

ROD

RIGGER

Allows for your rods

to give you a better fishing spread.

		REPLACE	4 X 3.01	//1/0
	SIDE MOUNT		9″ x 1-5/8″ ID	77179
	DESCRIPTION	SIZE	ANGLE	PART
z	ECONOMY ROD HOLDER 0°	x 1-5/8″ ID	0° 9	77270
ш	ECONOMY ROD HOLDER 15°	x 1-5/8″ ID	15° 9	77271
٤	ECONOMY ROD HOLDER 30°	x 1-5/8" ID	30° 9	77273



316 STAINLESS STEEL FLARED ROD HOLDER 88155

tapered without blade

• Heavy duty

• Rod holder ID 1-5/8" • With vinyl liner

316 STAINLESS STEEL ADJUSTABLE CLAMP-ON

- Choose the angle you need while providing the versatility of mounting either horizontally or vertically
- Clamp-on rod holders are sized IPS pipe
- Includes a heavy white vinyl liner

PART SIZE ID 88191 1" 1-5/8" 88192 1-1/4" 1-5/8" 88193 1-1/2" 1-5/8"

- high polished stainless tube

PART

are not practical

• Can be mounted on any

• White vinyl insert included

vertical flat surface

to protect your rod



-• 316 Stainless Steel clamp mechanism with

• White vinyl liner for rod protection

SWIVEL SIDE MOUNT 316 STAINLESS STEEL 9" SWIVEL SIDE MOUNT

88542

- Fits 3/4" and 1" rails
- 9" x 2" OD base
- Rod holder ID 1-5/8"

WELD ON ROD HOLDERS

PART	DESCRIPTION
WOPE-SL	10" WELD ON ALUMINUM FLARED ROD HO
WOP801-SL	8.5" WELD ON ALUMINUM FLARED ROD HO
WOPE1001ET-SL	10" WELD ON ALUMINUM FLARED ROD
W0L1001ET-SL	10" WELD ON ALUMINUM ROD HOLDER
TWST10-SL	10" WELD ON ALUMINUM ROD HOLDER \
SRH-3	8.5" WELD ON ALUMINUM SPINNING



TRANSOM MOUNT ROD HOLDERS

- Constructed of cold drawn anodized aluminum
- Includes white liners to protect your rod
- Available with either 4 or 5 rod holders

PART	LENGTH	DESCRIPTION
88144	35"	FIVE ROD HOLDER
88144-1	28"	FOUR ROD HOLDER

SIDE MOUNT

316 STAINLESS STEEL 9" SIDE MOUNT



- Designed for applications where clamp-on or flush mount holders are not practical
- Can be mounted on any vertical flat surface
- White vinyl insert included to protect your rod







CLAMP-ON ROD HOLDER

3/4" - 1" ADJUSTABLE

PART 88176

- Improved version of the old standard rail mount rod holder







ROD HOLDER ACCESSORIES




PIPE TO HOSE FITTINGS



PART	DESCRIPTION
77910	316 STAINLESS STEEL 1/4" IPS
77911	NYLON 1/4" IPS

LARGE ROD HOLDER **EXTENDERS**

- Stainless and nylon rod holder extenders to shorten your rod holder to fit your bent butt fishing rod
- We also offer our stainless steel swivel adapter to convert your standard rod holder to a swivel rod holder
- Fits most medium and large rod holders and are 1.51" wide
- Available in 2", 4" & 6"



SWIVEL ADAPTER 2-1/2" L x 1-1/2" W - STAINLESS STEEL SWIVEL ROD HOLDER ADAPTER 100 PART 88687 **TIGERFISH BAT 18" ALL ALUMINUM CONSTRUCTION**

88530-1

DESCRIPTION

ROUND HEAD BACKING PLATE

MEDIUM BACKING PLATE

BACKING PLATES

88525-1


77900-2

PART 77900-2

88525-1

88530-1

88530-3




T-TOP ROD SAFETY STRAPS

PART	DESCRIPTION
88676	PAIR
88676-1	2 PAIRS

10' SAFETY STRAP



LARGE BACKING PLATE UNIVERSAL BACKING PLATE



88530-3

VINYL LI	NERS FOR ALUMINUM WELD-ON ROD F	HOLDERS
PART	DESCRIPTION	COLOR
88152-3	FOR 8-1/2" FLARED ROD HOLDERS	WHITE
88152-4	FOR 8-1/2" FLARED ROD HOLDERS	BLACK
88152-5	FOR 10" FLARED ROD HOLDERS	WHITE
88152-6	FOR 10" FLARED ROD HOLDERS	BLACK
LINERSRH3	FOR SRH-3 UV PROTECTED PVC	WHITE

VINYL LINERS FOR GUNNEL ROD HOLDERS

PART	ANGLE	COLOR	LENGTH
77900-3	30°	BLACK	9"
77901-3	0°	BLACK	9"
77902-3	15°	BLACK	9"
77900-4	30°	WHITE	9"
77901-4	0°	WHITE	9"
77902-4	15°	WHITE	9"
88530-00	0°	BLACK	10-1/2"
88530-15	15°	BLACK	10-1/2"
88530-30	30°	BLACK	10-1/2"
88530-2	0°	WHITE	10-1/2"

CUP HOLDERS







ALL 10-1/2" VINYL INSERTS ARE FOR 88520 AND 88530 SERIES ROD HOLDERS



KITE ROD HOLDERS AND CLUSTERS



GS FIVE ROD CLUSTER NEW

PART 88157-2

- Smaller, more compact than our original Five Banger
- Designed to increase your rod storage capacity
- Constructed of cold drawn high polished anodized aluminum



GS TRIDENT NEW

- Smaller, more compact than our original Triple Kite Rods
- Used for one kite rod and two additional rods to increase your rod storage capacity and keep them up and out of the way
- Constructed of cold drawn anodized aluminum
- Available in either bent butt or straight



PART	DESCRIPTION
88160	TRIDENT ROD HOLDER - BENT BUTT
88160-1	TRIDENT ROD HOLDER - STRAIGHT BUTT

GS OFFSET TRIPLE WITH CUP HOLDERS NEW

- This quality rod holder can be used for rod storage and is most useful in kite fishing
- Cup holders allow for holding rigging tools as well as a drink
- Constructed of anodized aluminum and white liner to protect rods

PART	DESCRIPTION		
88148	OFFSET TRIPLE WITH CUP HOLDER - PORT SIDE (AS SHOWN)		
88148-1	OFFSET TRIPLE WITH CUP HOLDER - STARBOARD SIDE		



FIVE BANGER

- Designed to increase your rod storage capacity from 1 to 5 and keep your fishing rods in easy reach
- Constructed of cold drawn high polished anodized aluminum
- Tube ID 1-5/8" Base OD 1-1/2"



PART	DESCRIPTION	
88157	FIVE ROD CLUSTER - STRAIGHT BUTT	
88157-1	FIVE ROD CLUSTER - BENT BUTT	

OFFSET TRIPLE KITE ROD

PART 88149-1

- Triple offset can be used port or starboard
- Additional rod storage or for kite fishing
- Constructed of anodized aluminum
- Tube ID 1-7/8" Base OD 1-1/2"





TRIPLE KITE ROD

- Rod holder is used for 1 kite rod and 2 additional rods to increase your rod storage capacity and keep them up and out of the way
- Constructed of cold drawn high polished anodized aluminum
- Tube ID 1-5/8" Base OD 1-1/2"



PART	DESCRIPTION
88156	TRIPLE KITE ROD HOLDER - BENT BUTT BRUSHED
88158	TRIPLE KITE ROD HOLDER - BENT BUTT POLISHED
88159	TRIPLE KITE ROD HOLDER - STRAIGHT BUTT POLISHED

DUAL KITE ROD

88154

PART

- Designed to increase your rod storage capacity, or use one side for your kite rod and the other for your fishing rod
- Constructed of cold drawn high polished anodized aluminum
- Tube ID 1-5/8" Base OD 1-1/2"

ſ	
F	=//





SPECIALTY LITE WIND KITE

PART 88607-2

- Will exceed all of your expectations and fly steady in 5-10 mph winds with a simple adjustment to the bridle, eliminating the need to use different kites for different winds
- Lightweight spars are constructed of 100% carbon graphite
- Includes extra 5th spar

ALL PURPOSE KITE



- Sturdy and dependable, will fly steady in 10-15 mph winds with a simple adjustment to the bridle, eliminating the need to use different kites for different winds
- Lightweight spars are constructed of 100% carbon graphite
- Includes extra 5th spar

HI-VELOCITY KITE

PART 88611-4

- Flies steady in winds of 15 mph and up
- 4 holes in the custom fabric body for passage of air through the face of the kite, allowing it to fly at higher velocity winds
- Lightweight spars are constructed of 100% carbon graphite
- Includes extra 5th spar

KITE STORAGE BAG



- Keeps your kites dry and in excellent condition
- Lightweight and waterproof
- Easy access to your assembled kites
- 4 Velcro straps on back to easily secure to your boat









TIGRESSOUTRIGGERS.COM | 23

KITE ACCESSORIES



KITE LINE I ASSEMBLY

READY RIGGED KITE LINES

PART 88612

- 250' of 100 lb. Hi Vis Orange 8 strand braid
- Three release clips
- Swivels on reusable spool



• Two release clips • Swivels on reusable spool

KITE LINE II

READY RIGGED KITE LINES

88613

• 250' of 80 lb. Hi Vis Green 8 strand braid

ASSEMBLY

PART



KITE LINE III ASSEMBLY

READY RIGGED KITE LINES



- 250' of 50 lb. Hi Vis Yellow 8 strand braid
- Two release clips
- Swivels on reusable spool



KITE CLIPS

PART	DESCRIPTION
88655	KITE KIT (2 CLIPS, 2 WIND-ON SWIVELS, & 1 COASTLOCK SWIVEL)
88655-1	KITE KIT (3 CLIPS, 3 WIND-ON SWIVELS, & 1 COASTLOCK SWIVEL)
88658	KITE RELEASE CLIP
88658-1	KITE CLIP W/SMALL DIAMETER WIRE & BARREL SWIVEL
88658-2	KITE CLIP W/MEDIUM DIAMETER WIRE & BARREL SWIVEL
88658-3	KITE CLIP W/LARGE DIAMETER WIRE & WIND ON SWIVEL
88658-6	KITE RELEASE CLIP (NO WIRE) SMALL HOLE
88658-7	KITE RELEASE CLIP (NO WIRE) MEDIUM HOLE
88658-8	KITE RELEASE CLIP (NO WIRE) LARGE HOLE
88658-9	KITE RELEASE CLIP

















KITE ASSEMBLY BOX

EVERYTHING YOU NEED FOR A COMPLETE 2 KITE SETUP

Line Markers

Line Markers

• 3 Weighted Medium Kite

PART	88619	
20 rigging ban	ids • 3 Noi	n-Weighted Small Kite

- 20 rigging bands • 10 beads
- 10-1/4 oz lead
- 10 split shots
- 2 rigging needles
- 2 each, small, medium and large hole kite clip

KITE BRAID 2000 YARDS EACH

- Perfect for spooling kite or deep drop reels
- Super strong 8 strand braid
- Abrasion resistance and low water absorption

PA	RT	WEIGHT	COLOR	
800	000	50LB	HI VIS YELLOW	
800	001	80LB	HI VIS GREEN	
800	002	100LB	HI VIS ORANGE	

KITE BALLOONS

- Two balloons & three clips
- 100% pure latex
- Biodegradable

P/ 886 886

KITE LINE MARKERS

PART	DESCRIPTION			
88962	NON-WEIGHTED SMALL KITE LINE MARKERS			
88963	WEIGHTED MEDIUM KITE LINE MARKERS			
88964	WEIGHTED LARGE KITE LINE MARKERS			





- 1 water resistant kite box • 2 Tigress helium balloons
- 2 kite strings
- 10 small, 10 medium, 10 large & 10 snap swivels





RT	COLOR
615	YELLOW
15-1	WHITE



PART	DESCRIPTION
88617	3 LEG KITE STRING
88618	4 LEG KITE STRING





KITE RIN ASSEMB	-	a
PART	88665	and a second
		20

MARINE HARDWARE






PREMIUM REEL HANGERS

- Gold anodized spring loaded bracket holds reel in harness lugs
- Rod tip end rotates to lock in the rod and store it up and out of the way
- Available for most Penn and Shimano reels







88725

PREMIUM ROD HANGERS

- To accommodate hanging your rods up and out of the way with the rod butt and tip
- Rod hangers available in anodized aluminum, silver, gold, black and polished stainless steel
- Dimensions: Closed End = 1.55" & Open End = .60"

PART	COLOR
88544	SILVER ANODIZED
88545	GOLD ANODIZED
88546	BLACK ANODIZED
88547	POLISHED 316 STAINLESS STEEL

)		
)		
,		
'		

DESCRIPTION
12T, 12LT, 16S PENN, 16LT, TTS 50 SHIMANO, 4/0-6/0 FINOR (2.158)
20T PENN (1.468)
30T PENN, 30S (2.076)
30TW, 30SW, 30STW PENN, TLD 50 SHIMANO, VSW30 (2.823)
50T, 50S PENN (2.338)
50TW, 50SW, 50STW PENN, 80 PENN, 70S PENN, 9/0 FINOR VSW50 (3.163)
4/0 PENN SENATOR, 7.5/0 FINOR, TBM 30/50 SHIMANO (2.438)
80T, 80ST, 80TS PENN (3.323)
80TW, 80SW, 80STW PENN, DUEL 9/0 (4.068)
130ST PENN, AHAB 50 ORIGINAL FINOR (3.813)
30W TIAGRA (2.970)
50 TIAGRA (2.891)
50WLRS TIAGRA, 50W, 130H/S PENN, TBM 80/130 SHIMANO (3.678)
80W TIAGRA (4.387)
130 TIAGRA (4.308)
TLD 25/30 II SHIMANO (2.213)
70 VS PENN (3.160)
TLD 20 SHIMANO (1.673)
20 SHIMANO (1.806)
30 TIAGRA (2.345)
12 TIAGRA (1.532)
16 TIAGRA (2.262)
PENN SENATOR 6/0 (114H) (2.624)
PENN SENATOR 9/0 10/0 (3.250)
ADJUSTABLE REEL HANGER (ONE SIZE FITS MOST REELS)



TIGRESS® HEAVY DUTY BEARING STYLE HINGES 300 SERIES HI-POLISHED

- Hinge sizes 1-1/2" and 2" are standard with no ball bearings
- Hinge sizes 3", 4", 5", and 6" have unique ball bearing pin assembly for easy opening and closing
- Great for cockpit doors

PART	SIZE
21178	1-1/2" x 1-1/2"
21180	2" x 2"
21184	3" x 3"
21188	4" x 4"
21192	5" x 5"
21196	6" x 6"



316 STAINLESS STEEL GIMBALS

MAXIMUM STRENGTH AND BUILT TO WITHSTAND IG

THE RIGORS	OF	OFFS	HORE	FISH	IING

PART	DESCRIPTION
88550	FLAT CHAIR GIMBAL (FOUR-WAY SWIVEL FOR MOUNTING UNDER BASE OF CHAIRS) 3-1/8" H X 4-1/8" W
88552	TUBULAR CHAIR GIMBAL (FOUR-WAY SWIVEL TUBULAR MOUNT FITS 1" CHAIR TUBING)
105550	FIGHTING CHAIR GIMBAL



GRIP RAILS

POLISHED & ANODIZED ALUMINUM

LENGTH
12"
14"
18"
24"
36"




FIBERGLASS ELECTRONICS STORAGE BOXES

- Stainless Lock
- 1/2" thick door & frame
- 1 Gas Shock

PART	SIZE	DESCRIPTION
88651	24" W x 15" D x 10" H	SMALL, BLACK FACE
88653	30" W x 17" D x 11" H	LARGE, BLACK FACE









PIPE SIZE CHART

	ACTUAL PIPE DIAMETER	FRACTIONAL PIPE O.D. (APPROXIMATE)	PIPE CIRCUMFERENCE
1	1.050	1-1/16"	3-5/16"
2	1.315	1-5/16"	4-1/8"
3	1.660'	1-21/32"	5-7/32"
4	1.900	1-7/8"	5-31/32"
5	2.375	2-3/8"	7-15/32"

CUT OUT CIRCUMFERENCE MEASURING TAPE, ALONG DOTTED LINE, AND WRAP AROUND PIPE TO DETERMINE YOUR PIPE SIZE.

OUTRIGGERS & GEAR

2230 4th Avenue North | Lake Worth, FL 33461 tigress@easternmetal.com | (844) 740-1260

TIGRESSOUTRIGGERS.COM | 🚹 📴 🔠



